

-:

-1

-

-

-:


-2

-

-

-:

1-1



(10)

()

4-1

() -

5-1

(10) () -: 1-5-1

2004/4/25 2004/4/10 -: 2-5-1

- / -: 3-5-1

- / -

()

1-2

(Mathews)

(17:11)

2-2

()

2-1

)

()

(

3-1

()

(
 .(30:8)
 5-2
)
 .(90:2)
) (16:2) (Admes)
 (3,3)
 (3.8)
 .(10.7)
 6-2
 (368:6) 1-6-2

(%55-%40)
 (129:1)-:
 (45 15) .1
 (30 15) .2
 (30 30) .3
)
 (130:1) (
 3-1-2
)
 (130:1) (
 Multy))
 (124:4) (gem
 4-1-2
)

2004	-	-
		-
	(90)	-
		(90)
		.3
		-
()
		-
(90)		•
		•
		-
()
		-
		=

2004	-	-
	()
		•
		-:
		-:
	()
		-:
		•
		-:
	*()
		-:
		-:
		.1
	(Quadriceps
		-
	()
	(Hamstring
		-
	()
		.2
		-
		-
		•

2004 - -

(9=1-10) (0.05) t *

(2.26)

(1)

•

•

•

•

(%102.01) (40.5)

(2)

			T						
%8.62	4.4		26.99	1.07	55.4	1.41	51		
%7.64	2.6		9.59	2.27	36.6	1.63	34		

(2.26) (9=1-10) (0.05) t *

(2)

•

•

•

2004 - -

3-4-3

2004/3/20

. 2004/3/28

* - 5-3

**

()

(1)

			T						
%102.01	40.5		39.55	1.68	80.2	1.88	39.7		

(1) *

**

2004 - -

(5.4-2.2)

(31.7-17.16)

1-5

.1

.2

.3

.4

()

2004 - -

(%8.62)

(40.4)

(%7.64)

(2.6)

(3)

(- -)

			T						
%29.18	5.4		9.625	1.44	23.9	1.08	18.5		
%31.70	5.2		11.15	0.966	21.6	1.34	16.4		
%22.22	3.2		9.81	0.96	17.6	1.17	14.4		

(2.26)

(9=1-10)

(0.05)

t *

(3)

2004	-	-	
	:		.8
		.1999	25
.1993-	:		.9
	:		.10
.1996-	-		
	:		.11
		.1998	

(1)

	/		
45	5		
45	2×15		30 /
45	25 15 2 ×	%20	/
45	2× 15		
45	2× 15		/
45	2× 15	%40	/ ½
45	2× 15		
45	2× 15	5	5

(5-3) -:

30-	15		
-----	----	--	--

2004	-	-	
			<u>2-5</u>
			.1
()			.2
			.3
			.4

(())

	:		.1
		.1999	
.1997	:		.2
	:		.3
-			
		.1996-	-
.1999	.9	:	.4
-	:		.5
.1988-	-	-	
.1988.	.2	:	.6
-	:		.7
		.1987-	-

4	30	-	%50	20
4	30	15	5	
4	30	15		40- 30 /
4	30	15	3	()
4	30	15	5	/
4	30	15		
4	30	15		-
4	30	15	%40	

(5-3) -:

4	30	20	%50	20
4	30	30	%50	
4	30	30	2	2 50/ 40/ 30
4	30	30	%20	()
4	30	30	2	2
4	30	30	%20	()
4	30	30	%55	
4	30	30		